

N-SERIES WATER FILTERS

Maximum protection against limescale and corrosion thanks to increased pH-value stabilization, also suitable for water containing gypsum









PRODUCT DATA SHEET

Applications

We developed our N-series water filters with a focus on removing total hardness from water. Because they stabilize water's pH value, our N filters are suitable for appliances that use hot water and steam in areas with high chloride and sulfate content.

Benefits

- Very effective descaling capabilities combined with corrosion protection
- Efficient softening capabilities that allow the use of water with high chloride and sulfate content
- Easy replacement without turning off the water supply (auto shut-off function)
- Bypass function with seven settings that uses our patented DuoBlend® technology
- Integrated protection against microbial contamination
- Certified for food contact

Particle filters

Specially selected filter fleeces hold back dirt and particles, thus providing lasting filter protection even when water quality is poor.

Activated carbon

Thanks to their enormous surface area, our activated carbon components are able to remove undesired substances such as chlorine and organic contaminants and they eliminate unpleasant odors. We select and combine different types of activated carbon to meet each application's specific requirements.

Ion exchangers


lon exchangers reduce water hardness and thus prevent limescale deposits. Depending on the type of filter used, partial demineralization (decarbonization) can also be achieved. In addition, ion exchangers reduce toxic heavy metals such as lead.

Fine and microplastic filters

Active carbon block and microfiltration modules efficiently remove even the smallest particles and impurities. At the same time, they form a second line of defense for holding back organic contaminants.



Dimensions	Unit	170	250	500	1000	1500	2000
Internal filter volume	I	-	-	1.7	3.2	4.4	6.7
Filter height incl. filter head (A)	mm	-	-	475	410	525	525
Filter height (B)	mm	-	-	425	360	475	475
Max. filter head diameter (C)	mm	-	-	100	100	100	100
Max. filter diameter (D)	mm	-	-	95	136	136	175
Space for filter replacement (E)	mm	-	-	40	40	40	40
Weight	kg	-	-	1.8	3.2	4.3	6.5



Operating information	Unit	170	250	500	1000	1500	2000			
Operating pressure (without pressure surges)		2-8 bar (29-116 psi)								
Water temperature		4-30°C (39-86°F)								
Normal flow range*	l/h	15-120	15-120	15-120	15-240	15-240	15-240			
Flow rate at a 0.5 bar drop in pressure	l/h	>150	>150	>150	>150	>150	>150			
Installation position		vertical								
Bypass system		7 settings (0-60%), setting 0-1 recommended								

^{*}For short-term consumption, a higher flow rate is possible

Capacity (in I)	°dH*	°Clarke (GB)*	PPM*	°FH*	Bypass level	170	250	500	1000	1500	2000
Steamer	10	13	179	18	0	-	-	1220	2180	3140	4890
Hot beverage/Vending	10	13	179	18	1	-	-	1340	2400	3460	5380

^{*}Total hardness

Applications



Hot beverages



Steamer



Vending



A brand of ACLARIS GmbH, Lindau, Germany

ACLARIS.

Switzerland

ACLARIS GmbH Lindau, Zweigniederlassung Rebstein Balgacherstrasse 20, CH-9445 Rebstein +4171775 92 40, service@aclaris.com

Germany

ACLARIS GmbH Wackerstrasse 9, D-88131 Lindau +49 8382 2792700, service@aclaris.com

Austria

ACLARIS GmbH Dorfstrasse 36/F, A-5101 Bergheim +49 8382 2792700, service@aclaris.com

China

ClaroSwiss Filtration Technology (Shanghai) Co., Ltd. ACLARIS APAC
Swiss Center Shanghai
A302, Building 3, No. 526, 3rd East Fute Road
Shanghai Pilot Free Trade Zone
200131, P.R. of China
+86 21 2076 5688
info@claroswiss.com, claroswiss.cn

Still waters run deep.

Make sure they also run pure.

We are a Swiss company with over 25 years of expertise in developing and producing customized water purification solutions for a wide range of applications and needs. Our service portfolio spans the development, design, and manufacturing of our products as well as their certification. Many of our technologies are patented and thus uniquely able to provide added value for our clients. The secret to our success lies in our passion for water – a passion that drives us to pursue the highest standards of quality day in and day out.